

SUBJECT INDEX

Aeration

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Analysis

Multicriterion Analysis of Hydropower Operation, L. Duckstein, A. Teclé, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89 p132-153.

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Benefit cost analysis

Staging of Water Resource Developments, Edward F. Carter and Kenneth E. Sorensen, EY Apr. 89 p47-58.

Buckling

Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Case reports

Multicriterion Analysis of Hydropower Operation, L. Duckstein, A. Teclé, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89 p132-153.

China, People's Republic of

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Construction methods

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Cracks

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Estimation of Uplift Pressures in Cracks in Older Concrete Gravity Dams 2: Effect of Head Losses in Drain Pipes on Uplift, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p39-46.

Dam safety

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Dams

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Staging of Water Resource Developments, Edward F. Carter and Kenneth E. Sorensen, EY Apr. 89 p47-58.

Dams, gravity

Estimation of Uplift Pressures in Cracks in Older Concrete Gravity Dams 2: Effect of Head Losses in Drain Pipes on Uplift, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p39-46.

Decision making

Multicriterion Analysis of Hydropower Operation, L. Duckstein, A. Teclé, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89 p132-153.

Design

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Design criteria

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Staging of Water Resource Developments, Edward F. Carter and Kenneth E. Sorensen, EY Apr. 89 p47-58.

Dissolved oxygen

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Drains

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Estimation of Uplift Pressures in Cracks in Older Concrete Gravity Dams 2: Effect of Head Losses in Drain Pipes on Uplift, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p39-46.

Environmental effects

Multicriterion Analysis of Hydropower Operation, L. Duckstein, A. Teclé, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89 p132-153.

Environmental impacts

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Erosion

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Erosion control

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Fatigue

Probabilistic Approach to Aeolian Fatigue Design of Overhead Conductors, Roy R. Duncan, III., Robert L. Vecellio and George E. Ramey, EY Dec. 87 p102-114.

Gravity

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Hydraulic models

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Hydroelectric powerplants

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Multicriterion Analysis of Hydropower Operation, L. Duckstein, A. Tecte, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89 p132-153.

Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Hydroelectric resources

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Jets

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Linings

Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Membranes

Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Nuclear wastes disposal

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Optimization

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Oxygenation

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Penstocks

Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Performance

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Pressure measurement

Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Probabilistic models

Probabilistic Approach to Aeolian Fatigue Design of Overhead Conductors, Roy R. Duncan, III., Robert L. Vecellio and George E. Ramey, EY Dec. 87 p102-114.

Project planning

Staging of Water Resource Developments, Edward F. Carter and Kenneth E. Sorensen, EY Apr. 89 p47-58.

Pumps

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Radioactive materials

Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

Reclamation

Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Relief valves

Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Riprap

Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

River flow

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Shafts

Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Site evaluation

- Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

Stabilization

- Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

Submerging

- Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Surge Tanks

- Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Tailings

- Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.
- Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Tests

- Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Transmission lines

- Probabilistic Approach to Aeolian Fatigue Design of Overhead Conductors, Roy R. Duncan, III., Robert L. Vecellio and George E. Ramey, EY Dec. 87 p102-114.

Tunnel linings

- Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Tunnels

- Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Turbines

- Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Uplift

- Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.
- Estimation of Uplift Pressures in Cracks in Older Concrete Gravity Dams 2: Effect of Head Losses in Drain Pipes on Uplift, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p39-46.

Uranium

- Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.
- Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Water hammer

- Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Water resources development

- Staging of Water Resource Developments, Edward F. Carter and Kenneth E. Sorensen, EY Apr. 89 p47-58.

AUTHOR INDEX

- Abt, S. R.**
Cap Stabilization for Reclaimed Uranium Sites,
with J. D. Nelson, T. L. Johnson and E. F.
Hawkins, EY Dec. 89, p109-119
- Amadei, Bernard**
Estimation of Uplift Pressures in Cracks in Older
Concrete Gravity Dams 2: Effect of Head Losses
in Drain Pipes on Uplift, with Tissa Illan-
gasekare, Douglas I. Morris and Howard Boggs,
EY Apr. 89, p39-46
Estimation of Uplift Pressure in Cracks in Older
Concrete Gravity Dams, with Tissa Illan-
gasekare, Douglas I. Morris and Howard Boggs,
EY Apr. 89, p19-38
- Boggs, Howard**
see Amadei, Bernard, EY Apr. 89, p39-46
see Amadei, Bernard, EY Apr. 89, p19-38
- Bohac, Charles E.**
see Kim, Byung R., EY Aug. 89, p63-77
- Carter, Edward F.**
Staging of Water Resource Developments, with
Kenneth E. Sorensen, EY Apr. 89, p47-58
- Duckstein, L.**
Multicriterion Analysis of Hydropower Operation,
with A. Tecle, H. P. Nachnebel and B. F. Hobbs,
EY Dec. 89, p132-153
- Duncan, Roy R., III.**
Probabilistic Approach to Aeolian Fatigue Design
of Overhead Conductors, EY Dec. 87, p102-114
disc: Robert C. Peters, EY Apr. 89, p61
clo: EY Apr. 89, p61
- Elkoush, Abdel F.**
see Peicheng, Hu, EY Aug. 89, p78-83
see Peicheng, Hu, EY Aug. 89, p84-89
- Estey, H. P.**
see Miller, L. L., EY Dec. 89, p120-131
- Gordon, J. L.**
Submergence Factors for Hydraulic Turbines, EY
Aug. 89, p90-107
- Hawkins, E. F.**
see Abt, S. R., EY Dec. 89, p109-119
- Hobbs, B. F.**
see Duckstein, L., EY Dec. 89, p132-153
- Illangasekare, Tissa**
see Amadei, Bernard, EY Apr. 89, p39-46
see Amadei, Bernard, EY Apr. 89, p19-38
- Jiabo, Hu**
Buckling of Smooth Linings of Pressure Shafts and
Tunnels, EY Apr. 89, p1-17
- Johnson, T. L.**
see Abt, S. R., EY Dec. 89, p109-119
- Kim, Byung R.**
Comparing Options for Improving Dissolved Oxy-
gen Below Hydropower Dam, with Charles E.
Bohac, EY Aug. 89, p63-77
- Miller, L. L.**
Reclamation of Exxon Ray Point Tailings Basin,
with H. P. Estey and C. L. Strachan, EY Dec. 89,
p120-131
- Morris, Douglas I.**
see Amadei, Bernard, EY Apr. 89, p39-46
see Amadei, Bernard, EY Apr. 89, p19-38
- Nachnebel, H. P.**
see Duckstein, L., EY Dec. 89, p132-153
- Nelson, J. D.**
see Abt, S. R., EY Dec. 89, p109-119
- Peicheng, Hu**
Relief Valve and Safety Membrane Arrangement in
Lieu of Surge Tank, with Zheng Pusheng and
Abdel F. Elkoush, EY Aug. 89, p78-83
Tests of Jet Pump Operating under Head of 300 M,
with Luo Ruyun, Li Xianging, Wu Zhongfa and
Abdel F. Elkoush, EY Aug. 89, p84-89
- Peters, Robert C.**
disc. (of Probabilistic Approach to Aeolian Fatigue
Design of Overhead Conductors, by Roy R.
Duncan, III., Robert L. Vecellio and George E.
Ramey, EY Dec. 87, p102-114), EY Apr. 89, p61
- Pusheng, Zheng**
see Peicheng, Hu, EY Aug. 89, p78-83
- Ramey, George E., (disc)**, EY Apr. 89, p61
see Duncan, Roy R., III., EY Dec. 87, p102-114
see Peters, Robert C., (disc), EY Apr. 89, p61
- Ruyun, Luo**
see Peicheng, Hu, EY Aug. 89, p84-89
- Sorensen, Kenneth E.**
see Carter, Edward F., EY Apr. 89, p47-58
- Strachan, C. L.**
see Miller, L. L., EY Dec. 89, p120-131
- Tecle, A.**
see Duckstein, L., EY Dec. 89, p132-153
- Vecellio, Robert L., (disc)**, EY Apr. 89, p61
see Duncan, Roy R., III., EY Dec. 87, p102-114
see Peters, Robert C., (disc), EY Apr. 89, p61
- Xianging, Li**
see Peicheng, Hu, EY Aug. 89, p84-89
- Zhongfa, Wu**
see Peicheng, Hu, EY Aug. 89, p84-89